
TEHAMA COUNTY
Flood Control and Water Conservation District

Public Webinar

Progress Update On Development of the GSP for the Los Molinos Subbasin

April 22, 2021



Welcome!

The meeting will begin shortly.


Technical Difficulties?

- Use the Zoom Chat,
- or email Stephanie Horii SHorii@cbi.org,
- or text: 408.768.9394

Instructions for Getting Started:

- ❑ **Use only one audio source** – either computer or phone.
- ❑ **Wear headsets / earbuds** to cut down on ambient noise.
- ❑ **Please MUTE yourself** at all times, except when speaking.
- ❑ **Orient yourself** to Zoom meeting controls:

Unmute/Mute | **Start Video** | **Zoom Chat** | **Raise Hand (via Participants or Reactions)**



How you can participate today:

- **Verbal:** Get into the queue w/ Raise Hand function
- **Written:** Submit questions in Chat Box

COMMON TERMS

SGMA *("Sigma")*: Sustainable Groundwater Management Act • **GSA:** Groundwater Sustainability Agency • **GSP:** Groundwater Sustainability Plan

Zoom Orientation



Introduction to Zoom Webinar Interface and Today's Meeting Process

Stephanie Horii, Consensus Building Institute (CBI)

Meet the Project Team

"Hosts/Co-Hosts: – Project Team

- **Convener: Tehama County GSA**
  - Ryan Teubert, GSA Project Manager
  - Nichole Bethurem
- **Technical Consultant:** Luhdorff & Scalmanini, Consulting Engineers (LSCE)
  - Eddy Teasdale
- **Facilitation/Tech Support:** Consensus Building Institute (CBI)
  - Stephanie Horii

CBI

Note: The meeting will be recorded and posted to the website: TehamaCountyWater.org

Verbal Questions

Raise Hand

If participating through Zoom:


"Raise Hand" to speak

If dialing in by phone only:

Press *9 to "Raise Hand"

We will let you know when it is your turn to speak and can unmute yourself


*(Phone-Only Folks – Press *6 to unmute/mute)*



(older versions of Zoom may require using the Participants button to find the Raise Hand icon)

Written Questions

Zoom Chat



Calling in by phone only? email SHorii@cbi.org or text: 408.768.9394


Participating in the Workshop

- “Raise Hand” for Verbal Questions
- Zoom ”Chat” to submit written Questions
- “Start Video” for more interactive experience
- Please keep yourself on MUTE at all times
- Focus on Topic
- Honor Time
- Tech-Adaptive Mind Set

Presentation Outline


TEHAMA COUNTY
Flood Control and Water Conservation District

- Brief Summary of SGMA
- Outreach and Engagement
- Interbasin Coordination
- Progress on GSP Chapters
- Chapter 2 – Basin Setting and Hydrogeologic Conceptual Model (HCM)
- Chapter 3 – Sustainable Management Criteria (SMC)
- Overview of Chapter 4 & 5
- Other Activities
- Next Steps




Los Molinos Subbasin

TEHAMA COUNTY
Flood Control and Water Conservation District



Groundwater Management in California

- California is the last western state to adopt statewide groundwater regulations
- Recent multi-year drought led California to regulate groundwater for the first time



The Sustainable Groundwater Management Act (SGMA) will help to ensure groundwater resources are available for the future.

Sustainable Groundwater Management Act

- SGMA established robust framework for sustainable management of groundwater resources for the first time in CA's history
- Enacted in September 2014, and implementation began January 1, 2015
- Requires groundwater sustainability plans in 94 medium and high priority basins
- Recognizes management is most effective when done at the local level by local agencies with adequate info, tools, etc.
- Creates State "backstop"
- Defines timeframe for accomplishing goals

Local Control



"A central feature of these bills is the recognition that groundwater management in California is best accomplished locally."

Governor Jerry Brown, September 2014

Stakeholder Coordination General Update

TEHAMA COUNTY
Flood Control and Water Conservation District

- October and December 2020
- December 2020 Newsletter
- March 2021 Newsletter
  - GSP Updates
  - Groundwater/Surface Water Conditions
  - Groundwater Modeling
- Outreach Meetings
  - April 19-22
  - Topics Covered
    - Basin Settings
    - Water Budgets
    - SMC Introduction
    - Modeling
    - Project & Management Actions



TEHAMA COUNTY
FLOOD CONTROL AND WATER CONSERVATION DISTRICT

Tehama County SGMA eNewsletter - Spring 2021

This is a quarterly eNewsletter for implementing the Sustainable Groundwater Management Act (SGMA) in Tehama County.

In this newsletter:

- **EVENT ANNOUNCEMENT** -- Upcoming April public webinars - Register today!
- **NEW** -- Domestic Well Owner Survey
- SGMA 101 - New to SGMA?
- Planning Updates - Groundwater Sustainability Plans (GSPs)
- Data and Tech Update - Integrated Hydrologic Model and Database Management System
- Updates on Surface Water and Groundwater Conditions
- Corning Subbasin GSP Update
- Upcoming Meetings


Save the Dates | Online Public Workshops
April 19-22, 2021

Managing our local groundwater sustainably in Tehama County

TEHAMA COUNTY
FLOOD CONTROL AND WATER CONSERVATION DISTRICT

The **Tehama County Flood Control and Water Conservation District** invites you to participate in an online, interactive public workshop to learn and share input about sustainable groundwater management planning efforts in Tehama County subbasins.

What will be discussed?

- Brief review and updates on recent SGMA efforts in the County
- Plan Area and Basin Setting description, specific to each subbasin (*refer to map on the following page*)
- Introduction to Sustainable Management Criteria

Why is this important?

California enacted the **Sustainable Groundwater Management Act (SGMA)** in 2014 to better manage our groundwater over the long term. SGMA requires that groundwater basins be managed by Groundwater Sustainability Agencies (GSAs), and GSAs must develop Groundwater Sustainability Plans (GSPs) that provide a detailed roadmap for reaching long-term sustainability. In Tehama County, the Flood Control and Water Conservation District serves as the GSA for subbasins within the County boundaries.

GSPs must assess groundwater conditions and articulate how groundwater management will avoid adverse impacts of groundwater overdraft. **Local groundwater users have the opportunity to inform how groundwater can be sustainably managed in Tehama County subbasins.**

April 19-22
6:00-7:30 pm

Register to attend a basin-specific webinar:

- **April 19 | Bowman Subbasin**
  bit.ly/SGMA-Mtg_April-19_Bowman
- **April 20 | Red Bluff Subbasin**
  bit.ly/SGMA-Mtg_April-20_RedBluff
- **April 21 | Antelope Subbasin**
  bit.ly/SGMA-Mtg_April-21_Antelope
- **April 22 | Los Molinos Subbasin**
  bit.ly/SGMA-Mtg_April-22_LosMolinos


NOTE: When you register, you will receive a confirmation email that will include instructions on how to join the webinar, including dial-in-by-phone information.

Webinars will be recorded and posted to the District's website for future viewing.

Inter-basin Coordination

TEHAMA COUNTY
Flood Control and Water Conservation District

- Northern California Water Agencies
- Corning Subbasin
- Northern Sacramento Valley
- Coordination with Butte County
- Coordination with Shasta County
- Sacramento River Corridor Coordination



Tehama County Subbasins Groundwater Sustainability Plans

TEHAMA COUNTY
Flood Control and Water Conservation District

Describe the Basin Conditions
Plan Area, Subbasin Setting & Water Supplies

What water sources are used in the basin and what are the basin conditions related to those uses?

Define Basin Sustainability
Sustainable Management Criteria & Monitoring

What is sustainable groundwater management?

Develop Projects/Management Actions & Implementation Plans


How can we ensure groundwater sustainability?

Develop & Adopt GSPs
Submit GSP to DWR: January 31, 2022


Will this plan meet our sustainability goals?

GSP Section Preparation

TEHAMA COUNTY
Flood Control and Water Conservation District










- A friendly, “good read”
- Supported by Technical Memorandums and other appendices
- Draft Sections: Periodic Review in Advance of Full Draft GSP Delivery

GSP Chapter Development

TEHAMA COUNTY
Flood Control and Water Conservation District

- Chapter 1 – Introduction (Complete)
- Chapter 2 – Complete
  - Chapter 2A – Plan Area
  - Chapter 2B – Basin Setting
  - Chapter 2C – Current & Historical Groundwater Conditions
- Chapter 3 – SMCs (in development)
- Chapter 4 – Projects and Management Actions
- Chapter 5 – GSP Implementation

TIMELINE FOR SUSTAINABLE MANAGEMENT



GSP Chapter 1 Development

TEHAMA COUNTY
Flood Control and Water Conservation District

TABLE OF CONTENTS

ES Executive Summary.....

1 Introduction.....

1.1 Purpose of Groundwater Sustainability Plan.....

1.1.1 Justification for Management Area (If Applicable).....

1.2 Sustainability Goal.....


1.3 Agency Information.....

1.3.1 Organization and Management Structure of the GSA....

1.3.2 Legal Authority of the GSA.....

1.3.3 Estimated Cost of Implementing the GSP.....

1.4 GSP Organization.....



GSP Chapter 2A Plan Area Development

TEHAMA COUNTY
Flood Control and Water Conservation District

TABLE OF CONTENTS

1 INTRODUCTION 1-5

2 SUBBASIN PLAN AREA AND BASIN SETTING (REG. § 354.8) 2-5

2.1 Description of Plan Area 2-5

2.1.1 Summary of Jurisdictional Areas and Other Features 2-5


2.1.2 Water Resource Monitoring Entities, Management Programs, and Data Sources 2-17

2.1.3 Land Use Elements or Topic Categories of Applicable General Plans 2-30

2.1.4 Additional GSP Elements 2-36

2.1.5 Notice and Communication 2-40

REFERENCES 2-53



GSP Chapter 2B Basin Settings

TEHAMA COUNTY
Flood Control and Water Conservation District

TABLE OF CONTENTS

1 Introduction 1-1

2 SUBBASIN PLAN AREA AND BASIN SETTING (REG. § 354.8) 2-1

2.1 Description of Plan Area 2-1

2.2 Basin Setting 2-1

2.2.1 Hydrogeologic Conceptual Model 2-1

2.2.1.1 Subbasin Boundaries 2-1

2.2.1.2 Topographic Information 2-5

2.2.1.3 Geologic Setting 2-5


2.2.1.4 Soil Characteristics 2-25

2.2.1.5 Identification/Differentiation of Principal Aquifers 2-32

2.2.1.6 Definable Bottom of Basin 2-34


2.2.1.7 Surface Water Features and Areas of Recharge 2-34

2.2.1.8 Data Gaps and Uncertainty 2-38




GSP Chapter 2B Basin Settings


TEHAMA COUNTY
Flood Control and Water Conservation District



Map of Ground Surface Elevation — Figure 2-5
Groundwater Sustainability Plan
Los Molinos Subbasin




Geologic Map with Faults — Figure 2-7
Groundwater Sustainability Plan
Los Molinos Subbasin



Map of Cross Section Locations — Figure 2-8B
Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2B Basin Settings

TEHAMA COUNTY
Flood Control and Water Conservation District




P:\Tehama County\Tehama County GSP Services\Tehama_Co\Chapter2B\Chapter 2B LosMolinos.aprx:Figure 2-11 DWRcrossSectionA_A

Cross Section D-D'

Groundwater Sustainability Plan
Los Molinos Subbasin

Figure 2-9



P:\Tehama County\Tehama County GSP Services\Tehama_Co\Chapter2B\Chapter 2B LosMolinos.aprx:


Map of Cross Section Locations

Groundwater Sustainability Plan
Los Molinos Subbasin

Figure 2-8B

GSP Chapter 2B Basin Settings

TEHAMA COUNTY
Flood Control and Water Conservation District




P:\Tehama County\Tehama County GSP Services\Tehama_Co\Chapter2B\Chapter 2B RedBluff.aprx:Figure 2-11 DWRcrossSectionA_A

TEHAMA COUNTY LSCE Team

Cross Section E-E' — **Figure 2-11**

Groundwater Sustainability Plan
Red Bluff Subbasin



P:\Tehama County\Tehama County GSP Services\Tehama_Co\Chapter2B\Chapter 2B Los Molinos.aprx:


TEHAMA COUNTY LSCE Team

Map of Cross Section Locations — **Figure 2-8B**

Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2B Basin Settings


TEHAMA COUNTY
Flood Control and Water Conservation District



TEHAMA COUNTY
LSCE Team

Cross Section F-F'
Groundwater Sustainability Plan
Red Bluff Subbasin

Figure 2-12




TEHAMA COUNTY
LSCE Team

Map of Cross Section Locations
Groundwater Sustainability Plan
Los Molinos Subbasin

Figure 2-8B

GSP Chapter 2B Basin Settings


TEHAMA COUNTY
Flood Control and Water Conservation District



TEHAMA COUNTY
LSCE Team

Cross Section G-G' — **Figure 2-12**

Groundwater Sustainability Plan
Los Molinos Subbasin




TEHAMA COUNTY
LSCE Team

Map of Cross Section Locations — **Figure 2-8B**

Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2B Basin Settings


TEHAMA COUNTY
Flood Control and Water Conservation District



LSCE Team

Map of Surface Water Features — Figure 2-21

Groundwater Sustainability Plan
Los Molinos Subbasin




LSCE Team

Map of Discharge Areas – Wetlands, Springs, Seeps — Figure 2-23

Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2B Basin Settings

TEHAMA COUNTY
Flood Control and Water Conservation District



TEHAMA COUNTY
FLOOD CONTROL AND WATER CONSERVATION DISTRICT

LSCE Team


Panel Map of Selected Groundwater Elevation Hydrographs

Figure 2-24

Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2B Basin Settings

TEHAMA COUNTY
Flood Control and Water Conservation District



TEHAMA COUNTY FLOOD CONTROL AND WATER CONSERVATION DISTRICT

LSCE Team

Locations of Wells Used for Groundwater Level Trend Analysis


Groundwater Sustainability Plan
Los Molinos Subbasin

Figure A-1

Water Year	Water Year Index	Wetater Year Type
1980	9.04	Above Normal
1981	6.21	Dry
1982	12.76	Wet
1983	15.29	Wet
1984	10.00	Wet
1985	6.47	Dry
1986	9.96	Wet
1987	5.86	Dry
1988	4.65	Critical
1989	6.13	Dry
1990	4.81	Critical
1991	4.21	Critical
1992	4.06	Critical
1993	8.54	Above Normal
1994	5.02	Critical
1995	12.89	Wet
1996	10.26	Wet
1997	10.82	Wet
1998	13.31	Wet
1999	9.80	Wet
2000	8.94	Above Normal
2001	5.76	Dry
2002	6.35	Dry
2003	8.21	Above Normal
2004	7.51	Below Normal
2005	8.49	Above Normal
2006	13.20	Wet
2007	6.19	Dry
2008	5.16	Critical
2009	5.78	Dry
2010	7.08	Below Normal
2011	10.54	Wet
2012	6.89	Below Normal
2013	5.83	Dry
2014	4.07	Critical
2015	4.00	Critical
2016	6.71	Below Normal
2017	14.14	Wet
2018	7.14	Below Normal
2019	10.34	Wet


GSP Chapter 2B Basin Settings

TEHAMA COUNTY
Flood Control and Water Conservation District




TEHAMA COUNTY | LSCE Team

Contours of Equal Groundwater Elevation
Upper Aquifer – Seasonal High of 2013 — **Figure 2-30**
Groundwater Sustainability Plan
Los Molinos Subbasin



TEHAMA COUNTY | LSCE Team

Contours of Equal Groundwater Elevation
Upper Aquifer – Seasonal High of 2017 — **Figure 2-28**
Groundwater Sustainability Plan
Los Molinos Subbasin




TEHAMA COUNTY | LSCE Team

Contours of Equal Groundwater Elevation
Upper Aquifer – Seasonal High of 2019 — **Figure 2-26**
Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2B Basin Settings


TEHAMA COUNTY
Flood Control and Water Conservation District



TEHAMA COUNTY LSCE Team

Subsidence Measurements Between 2008 and 2017 — Figure 2-47

Groundwater Sustainability Plan
Los Molinos Subbasin



TEHAMA COUNTY LSCE Team

DWR InSAR Subsidence Map — Figure 2-48


Groundwater Sustainability Plan
Los Molinos Subbasin

GSP Chapter 2C Water Budget

TEHAMA COUNTY
Flood Control and Water Conservation District


TABLE OF CONTENTS

1 Introduction 1-1
2 Subbasin Plan Area and Basin Setting (Reg. § 354.8) 2-1
2.1 Description of Plan Area 2-1
2.2 Basin Setting 2-1
2.3 Water Budget (Reg. § 354.18) 2-1
2.3.1 Water Budget Conceptual Model 2-2
2.3.1.1 Water Budget Structure 2-3
2.3.2 Water Budget Analysis Period 2-6
2.3.3 Surface Water System (SWS) Water Budget Description 2-7
2.3.3.1 General SWS Water Budget Components and Calculations 2-8
2.3.3.2 Detailed SWS Water Budget Accounting Centers and Components 2-9
2.3.4 Groundwater System (GWS) Water Budget Description 2-13
2.3.4.1 GWS Water Budget Components and Calculations 2-13
2.3.5 Historical Water Budget 2-15
2.3.5.1 Surface Water System Water Budget Results 2-20
2.3.5.2 Groundwater System Water Budget Results 2-58
2.3.5.3 Historical Water Budget Summary 2-73
2.3.6 Current Water Budget 2-77
2.3.6.1 Surface Water System Water Budget Results 2-77
2.3.6.2 Groundwater System Water Budget Results 2-79
2.3.7 Projected Water Budget (STILL IN PROGRESS) 2-80
2.3.7.1 Approach to Developing Projected Water Budget 2-80
2.3.7.2 Surface Water System 2-80
2.3.7.3 Groundwater System 2-80
2.3.7.4 Uncertainty in Projected Water Budget Estimates 2-80
2.3.7.5 Estimate of Sustainable Yield 2-80




Tehama County Integrated Hydrologic Model:

- Historical Water Budget
  - 1990-2018
- Current Water Budget
  - Average of three most recent water years (WY 2016-2018)
- Project Water Budget
  - 50-year hydrology
  - Reflects historic wet and dry sequences




Tehama County Integrated Hydrologic Model:
Model Development

- Refinements
  - Extend through WY 2018
  - Refine textural model
  - Refine Root Zone component
  - Refine SW diversions
  - Refine vertical discretization of pumping
  - Refine initial conditions and boundary conditions



Tehama County Integrated Hydrologic Model:
Model Calibration – Water Levels




- Water Level Calibration
  - Select calibration wells
  - Evaluate residual water levels (simulated minus observed)
  - Calculate model statistics
    - Target RSME: 0.10-0.15
    - Target Correlation Coefficient: 1.00

Calibration Statistics:	
Mean Residual	5.21
Absolute Mean Residual	15.73
Normalized RSME	0.12
Correlation Coefficienct	0.98

Tehama County Integrated Hydrologic Model:
Model Calibration – Water Levels

Model Residuals (Simulated minus Observed)



GSP Chapter 2C Water Budget

TEHAMA COUNTY
Flood Control and Water Conservation District




Figure 2-56. Los Molinos Subbasin Agricultural Land Use Areas

GSP Chapter 2C Water Budget

TEHAMA COUNTY
Flood Control and Water Conservation District

Table 2-36. Los Molinos Subbasin Historical Water Budget Summary (acre-feet, rounded)

Water Year (Type)		Net Seepage	Deep Percolation	Net Subsurface Flows	Ground-water Pumping	Ground-water Uptake	Annual Groundwater Storage Change	Cumulative Groundwater Storage Change
1990 (C)		7,030	30,270	-39,200	-27,910	-2,090	-27,830	-27,830
1991 (C)		13,460	26,700	-39,630	-28,630	-400	-24,530	-52,360
1992 (C)		17,860	34,830	-36,280	-30,690	-340	-10,610	-62,980
1993 (AN)		45,270	62,440	-34,810	-19,720	-3,060	54,260	-8,720
1994 (C)		11,930	32,070	-50,940	-26,740	-1,360	-30,930	-39,650
1995 (W)		49,030	81,890	-46,830	-15,420	-6,630	66,200	26,560
1996 (W)		23,660	62,940	-58,630	-19,140	-7,180	5,830	32,380
1997 (W)		21,830	54,120	-62,880	-19,780	-6,290	-8,810	23,570
1998 (W)		19,490	99,720	-52,180	-9,840	-10,650	50,730	74,300
1999 (W)		6,580	50,830	-62,310	-14,070	-9,140	-23,920	50,370
2000 (AN)		9,220	51,400	-58,830	-13,040	-7,070	-14,140	36,240
2001 (D)		660	33,920	-52,830	-20,810	-3,300	-38,210	-1,980
2002 (D)		16,160	43,880	-47,750	-22,360	-2,710	-8,640	-10,610
2003 (AN)		29,340	62,160	-50,600	-13,060	-4,710	27,280	16,670
2004 (BN)		20,330	58,700	-60,810	-17,300	-5,820	-730	15,940
2005 (AN)		11,790	59,250	-52,970	-11,790	-4,630	5,830	21,760
2006 (W)		27,850	75,780	-57,900	-12,080	-9,220	28,600	50,360
2007 (D)		6,030	29,780	-71,130	-18,180	-3,660	-53,000	-2,630
2008 (C)		18,520	35,290	-60,520	-24,200	-1,480	-28,290	-30,930
2009 (D)		30,960	30,090	-60,480	-20,330	-510	-16,210	-47,140
2010 (BN)		35,840	56,810	-57,130	-15,710	-1,430	22,490	-24,640
2011 (W)		43,870	61,160	-64,110	-11,600	-3,820	29,680	5,030
2012 (BN)		23,620	28,940	-72,540	-19,020	-1,690	-36,580	-31,550
2013 (D)		35,700	37,180	-70,600	-25,830	-810	-20,240	-51,780
2014 (C)		36,910	20,820	-68,610	-30,900	-120	-37,860	-89,650
2015 (C)		52,060	35,190	-69,810	-37,010	-150	-15,620	-105,270
2016 (BN)		75,930	43,980	-73,340	-24,670	-460	25,580	-79,690
2017 (W)		82,990	73,890	-81,720	-17,870	-3,760	57,720	-21,970
2018 (BN)		55,120	26,990	-97,420	-26,800	-350	-38,270	-60,240
Average (1990-2018)		28,590	48,310	-59,060	-20,500	-3,550	-2,080	
1990-2018	W	34,410	70,040	-60,820	-14,980	-7,090	25,750	
	AN	28,800	61,280	-46,130	-14,860	-4,130	29,120	
	BN	47,800	43,230	-72,430	-21,360	-1,700	-320	
	D	17,900	34,970	-60,560	-21,500	-2,200	-27,260	
	C	22,540	30,740	-52,140	-29,440	-850	-25,100	

Note: positive values indicate inflows/increasing storage, negative values indicate outflows/decreasing storage.




Figure 2-82. Los Molinos Subbasin Historical Water Budget Summary

GSP Chapter 2C Water Budget

TEHAMA COUNTY
Flood Control and Water Conservation District




Figure 2-83. Diagram of the Los Molinos Subbasin Historical Average Annual Water Budget (1990-2018)

Table 2-38. Comparison of Recent GWS Water Budget Periods (acre-feet, rounded)

GWS Water Budget Component	Recent Water Budget Periods				
	Recent 10 Years (2009-2018)	Recent 5 Years (2014-2018)	Recent 3 Years (2016-2018)	Recent 1 Year 2018	Recent 1 Year 2019
Net Seepage	47,300	60,600	71,350	55,120	74,130
Deep Percolation	41,510	40,170	48,290	26,990	69,980
Net Subsurface Flows	-71,580	-78,180	-84,160	-97,420	-89,710
Groundwater Pumping	-22,970	-27,450	-23,110	-26,800	-17,010
Groundwater Uptake	-1,310	-970	-1,520	-350	-2,530
Annual Groundwater Storage Change[1]	*-2,900*	*-1,700*	*15,000*	*-38,300*	*39,000*

[1] Annual storage change volumes rounded to 100 af.
Note: positive values indicate inflows/increasing storage, negative values indicate outflows/decreasing storage.

Proposed SMC Development Process

TEHAMA COUNTY
Flood Control and Water Conservation District


The charge under SGMA is to build a “thermometer” for each of the six groundwater sustainability indicators


1. Define what is healthy/sustainable
2. Define what is unhealthy/unsustainable
3. Determine what to do when not healthy or close to not healthy

GSP Chapter 3 Sustainable Management Criteria

TEHAMA COUNTY
Flood Control and Water Conservation District

1. Sustainable Management Goal
2. Measurable Objectives
3. Minimum Thresholds
4. Undesirable Results
5. Monitoring Network






Sustainability Indicator Examples


TEHAMA COUNTY
Flood Control and Water Conservation District




Lowering of GW Levels



Reduction of GW Storage



Seawater Intrusion



Degraded Water Quality



Land Subsidence




Depletion of Inter-connected Streams


Source: DWR

Sustainable Management Criteria (SMC)

TEHAMA COUNTY
Flood Control and Water Conservation District



Chronic Lowering of Groundwater Levels



- Continued lowering of groundwater levels can lead to undesirable results for all beneficial users


- Overdraft during a period of drought is not sufficient to establish a chronic lowering of groundwater levels if extractions and recharge are managed as necessary to ensure that reductions during a period of drought are offset by increases during other periods


GSP Chapter 3 Sustainable Management Criteria

TEHAMA COUNTY
Flood Control and Water Conservation District

Abbreviated Well Name: 09G1 Subbasin: Los Molinos Well Depth (ft): 60 Well Type: Domestic

Well Name: 25N02W09G001M Aquifer: Upper Screen Depth (ft bgs): 40 - 60






Reduction of Groundwater Storage

TEHAMA COUNTY
Flood Control and Water Conservation District

- Decline in groundwater storage would result in a decreased availability of groundwater for agriculture, municipal, industrial and domestic uses.


- Projects and/or Management actions would be required to mitigate these reductions in storage.



Degradation of Water Quality

TEHAMA COUNTY
Flood Control and Water Conservation District





- Degradation of water quality is considered significant and undesirable if the magnitude of degradation renders groundwater in pre-existing wells unusable without management actions

- Within these four subbasins, TDS will be used as indicators for water quality degradation

Total Dissolved Solids (TDS)

Land Subsidence

TEHAMA COUNTY
Flood Control and Water Conservation District

- Historically, Tehama County has experienced minor levels of subsidence


- Typically (Not the case in Tehama County), in areas near significant infrastructure minimal amounts of additional subsidence could be significant and unreasonable due to the susceptibility of infrastructure to subsidence



Depletion of Inter-Connected Surface Water

TEHAMA COUNTY
Flood Control and Water Conservation District

- Lowered groundwater table (from pumping) impacts groundwater dependent ecosystems
- Areas where DTW>30 feet bgs are not considered GDEs
- Areas where DTW <30 feet are considered GDEs



Depth to Water (DTW)
Below Ground Surface (BGS)
Groundwater Dependent Ecosystems (GDE)

GSP Chapter 4 Projects and Management Actions

TEHAMA COUNTY
Flood Control and Water Conservation District

- Projects and management actions may have to be developed to address sustainability goals, measurable objectives, and undesirable results within each of the subbasins in Tehama County, with a view towards reducing the potential socioeconomic impacts associated with actions required to sustainability manage the Subbasins.
- Potential PMAs may fall under several categories, including but not limited to the following:
  - Recharge projects
  - Supply augmentation projects
  - Water conservation projects
  - Projects to reduce non-beneficial consumptive use
  - Groundwater pumping allocations
  - Monitoring programs (groundwater pumping, water levels, stream flows, etc.)

TABLE OF CONTENTS

4 PROJECTS AND MANAGEMENT ACTIONS TO ACHIEVE SUSTAINABILITY GOAL 5
4.1 Project No. 1 – Surface Water Imports 5
4.1.1 Project Description 5
4.1.2 Implementation 7
4.1.2.1 Circumstance for Implementation 7
4.1.2.2 Timeline for Implementation and Accrual of Expected Benefits 7
4.1.2.3 Legal Authority 7
4.1.2.4 Permitting 7
4.1.2.5 Public Noticing 7
4.1.2.6 Estimated Cost 7
4.1.3 Relation to Groundwater Sustainability 7
4.1.3.1 Expected Benefits and Metrics 7
4.2 Project No. 2 – Initial Allocation of Groundwater Extraction 7
4.2.1 Project Description 8
4.2.1.1 Groundwater Allocation 8
4.2.1.2 Aquifer-Specific Groundwater Allocation 8
4.2.1.3 Domestic Users 8
4.2.1.4 Municipal and Industrial Users 8
4.2.1.5 Metering & Reporting 8
4.2.2 Implementation 8
4.2.2.1 Circumstance for Implementation 8
4.2.2.2 Timeline for Implementation and Accrual of Expected Benefits 8
4.2.2.3 Legal Authority 8
4.2.2.4 Permitting 8
4.2.2.5 Public Noticing 8
4.2.2.6 Estimated Cost 8
4.2.3 Relation to Groundwater Sustainability 8
4.2.3.1 Expected Benefits and Metrics 8

GSP Chapter 5 GSP Implementation

TEHAMA COUNTY
Flood Control and Water Conservation District

- GSP implementation, administration and management
- Implementation of the monitoring program
- Reporting, including annual reports and 5-year evaluations and updates
- Implementation of adaptive management strategies
- Funding

	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042
Reporting																					
Groundwater Level Monitoring	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Water Quality Reporting	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Pump Metering	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Land Subsidence Monitoring	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Operations & Maintenance																					
Data Management System	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Groundwater Model Update	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
DWR Reporting	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
Project Management & Coordination																					

● Occurs once a year

● Occurs twice a year

● Occurs monthly

Ongoing

*All monitoring is reported on an annual basis

Other Activities– Financial Assurance Plan

The GSA intends to include a financial strategy as part of the 2022 GSP that provides sustainable GSA funding mechanisms to facilitate local control of groundwater resources.

1. Long Term GSA Funding
2. Long Term GSP Project Funding
3. Funding Options
4. Financial Assurance Plan
5. Post-GSP: GSA is financially sustainable


Financial Assurance Plan

GSA Financial Assurance Plan (Table of Contents)

- Section 1: Introduction
- Section 2: GSA Financial Requirements
- Section 3: GSA Other Sharing Arrangements
- Section 4: GSA Funding Sources
- Section 5: GSA Financial Strategies
- Section 6: GSA Financial Plan
- Appendix A: GSA Governance Agreement
- Appendix B: Funding source information

Other Activities – New Monitoring Wells

TEHAMA COUNTY
Flood Control and Water Conservation District



Luhdorff & Scalmanini
Consulting Engineers

New Monitor Well Locations

Tehama County Groundwater Sustainability Plan
Tehama County, California

Other Activities – Database Management System


TEHAMA COUNTY
Flood Control and Water Conservation District



ArcGIS Online Map

Hyperlink

MS Access



Tableau

- Cost-effective
- Easy to learn and set up
- Integrates well with other systems
- Ability to create charts, data tables, reports
- Nearby subbasins like Corning use Access too
- Combine the strong mapping ability of ArcGIS with visualization ability of Tableau

What's Next?

TEHAMA COUNTY
Flood Control and Water Conservation District

1. Develop Projected Water Budgets
2. Agree on Sustainable Management Criteria
3. Finalize New Monitoring Well Locations
4. Develop Project and Management Actions (Chapter 4)
5. Additional Webinars Planned for Summer 2021
6. Current GSP sections 1 & 2 are available for review
7. Final complete draft available in September 2021



Q&A Session

TEHAMA COUNTY
Flood Control and Water Conservation District

How to Ask Questions

Zoom Options:

Verbal – "Raise Hand" to speak

Written – Use Chat Box

Calling-In Options:

*9 to Raise Hand

*(*6 to Unmute/Mute)*

E-mail shorii@cbi.org or

Text: 408.768.9394

Project Team

Tehama County GSA

- Ryan Teubert, GSA Project Manager

Technical Consultants, LSCE

- Eddy Teasdale

Facilitator, CBI

- Stephanie Horii

COMMON TERMS

SGMA *("Sigma")*: Sustainable Groundwater Management Act • **GSA:** Groundwater Sustainability Agency • **GSP:** Groundwater Sustainability Plan

GSP Development & Public Input Opportunities

TEHAMA COUNTY
Flood Control and Water Conservation District

May

Sustainable Management Criteria and Monitoring Network

Regular GSA meetings*

June–July

Projects & Management Actions

GSP Implementation Plan

Public Workshops

Regular GSA meetings*

August

Administrative Draft GSPs in development

Regular GSA meetings*

September

Draft GSPs available for review and comment

Access via websites

Regular GSA meetings*

November

Public Workshops

Regular GSA meetings*

December

Public Hearings for adoption of Final GSPs

Regular GSA meetings*

January

Final GSPs submitted to the State

Regular GSA meetings*

** Regular GSA meetings: Groundwater Commission, District Board, and Corning Subbasin Advisory Board (CSAB)*

How to Stay Involved and Provide Input

TEHAMA COUNTY
Flood Control and Water Conservation District

EMAIL UPDATES

Sign Up for the interested parties email list and/or to receive meeting agendas - contact nbethurem@tcpw.ca.gov

QUARTERLY NEWSLETTER

Sign Up for the interested parties email list

REGULAR MEETINGS

Groundwater Commission Meetings | 4th Wednesdays @ 8:30a*

Special meetings: April 28 • May 6 at 6:00p | **Regular meetings**: May 26 • June 23 at 8:30a

District Board Meetings | 3rd Monday, month @ 11:00a | Next meeting May 17

Corning Subbasin Advisory Board Meetings | 1st Wednesdays @ 1:30p | Next meeting May 5

PUBLIC MEETINGS

4th Webinar / Meeting – late spring/summer 2021

GSP Implementation, Projects & Management Actions

5th Webinar / Meeting – fall 2021

Draft GSP workshop

WEBSITE: DRAFT GSP SECTIONS

Review drafts / submit comments via TehamaCountyWater.org CorningSubbasinGSP.org

SURVEYS

Domestic Well Owner: www.surveymonkey.com/r/TehamaSGMA_WellOwners
Potential Projects & Management Actions Ideas: www.surveymonkey.com/r/TehamaSGMA_PMA-Ideas

TEHAMA COUNTY
FLOOD CONTROL AND WATER CONSERVATION DISTRICT

How best can we connect with you?

Let us know in the Chat Box

- Websites - TehamaCountyWater.org and CorningSubbasinGSP.org
- Email (subscribe to our mailing list - contact nbethurem@tcpw.ca.gov)
- eNewsletter (quarterly)
- Social media (which platforms?)
- Paper Mail
- Direct Call
- Newspaper
- Radio
- Public Workshops and Meetings
- Neighborhood hubs for sign postings (specific locations?)
- Other Suggestions?

Thank You! General Questions?

TEHAMA COUNTY
Flood Control and Water Conservation District

How to Ask Questions

Zoom Options:

Verbal – "Raise Hand" to speak

Written – Use Chat Box

Calling-In Options:

*9 to Raise Hand

*(*6 to Unmute/Mute)*

E-mail shorii@cbi.org or

Text: 408.768.9394

Project Team

Tehama County GSA

- Ryan Teubert, GSA Project Manager
- rteubert@tcpw.ca.gov
- 530.385.1462, ext. 3020

Technical Consultants, LSCE

- Eddy Teasdale

Facilitator, CBI

- Stephanie Horii

COMMON TERMS

SGMA *("Sigma")*: Sustainable Groundwater Management Act • **GSA:** Groundwater Sustainability Agency • **GSP:** Groundwater Sustainability Plan